

# Green your Code

Energy profiling for JavaScript & TypeScript

```
value L
                                                                        profilerHits
export class TypescriptParser {
                                                                                                           8502 µs
                                                                        CPU Time (self)
  static traverseSourceFile( Energy Consumption (self): 0.000 r
                                                                        CPU Time (summed up)
                                                                                                           23996 µs
                                                                        CPU Time (own code)
                                                                                                           15204 µs
  ) {
                                                                        CPU Time (libraries)
    const { enter, leave } = callback
                                                                        CPU Time (node internal)
                                                                                                           0.042 mJ
                                                                        Energy Consumption (self)
    traverseNode(sourceFile)
                                                                        Energy Consumption (summed up)
                                                                                                          0.120 mJ
    function traverseNode(node: ts.Node) { Energy Consumption
                                                                        Energy Consumption (own code)
                                                                                                           0.077 mJ
                                                                       Energy Consumption (self): 0.042 mJ (2.91%
      ts.forEachChild(node, traverseNode)
       leave(node)
                                                     CPU Time (self)
  static posToLoc(sourceFile: ts.SourceFile, pos:
    const lineAndChar = sourceFile.getLineAndChar CPU Time (summed up)
                                                                                        23996 µs
                                                      CPU Time (own code)
                                                                                         15204 µs
    return {
                                                      CPU Time (libraries)
                                                                                         290 μs
      line: lineAndChar.line + 1,
                                                                                        0 μs
                                                      CPU Time (node internal)
      column: lineAndChar.character
                                                      Energy Consumption (self)
                                                                                        0.042 mJ
                                                                                        0.120 mJ
                                                      Energy Consumption (summed up)
                                                                                        0.077 mJ
                                                      Energy Consumption (own code)
                                                     [ Energy Consumption (self): 0.042 mJ (2.91%)
                                  tion(node) ||
                                  (de) ||
```


www.oaklean.io

**Open Source MIT License** 

## The Hidden Cost Of Every Line Of Code

- Developers usually focus on performance, readability, maintainability, but rarely on energy efficiency
- Every code choice (libraries, loops, APIs) affects energy footprint
- Existing tools don't measure energy in Node.js/JS/TS apps
- Oaklean: makes JS/TS energy usage visible and optimizable

## JavaScript/TypeScript/Node.js




Why JavaScript/TypeScript Ecosystems Especially Need Sustainability Awareness

## Web frameworks and technologies


Node.js peaked in 2020 with its highest recorded usage score of 51%. While not as popular, it's still the most used web technology in the survey this year and has increased popularity among those learning to code from last year.


Which web frameworks and web technologies have you done extensive development work in over the past year, and which do you want to work in over the next year? (If you both worked with the framework and want to continue to do so, please check both boxes in that row.)



Why JavaScript/TypeScript Ecosystems Especially Need Sustainability Awareness

- Node.js used as website backends:
  - 5.2% of all websites
  - 10.7% by the top 1,000,000 websites
  - 28.4% by the top 1000 websites






Why JavaScript/TypeScript Ecosystems Especially Need Sustainability Awareness

- Paypal: Adopted a unified JavaScript stack for frontend and backend
- LinkedIn: Migrated from Ruby on Rails to reduce overhead and server load
- Netflix: Server-side rendering and backend for global streaming
- **Uber**: Needed a high-concurrency backend to handle live GPS, surge pricing, and updates
- Walmart: Required event-driven architecture to handle traffic bursts
- Trello: Real-time UI updates for collaborative task management
- eBay: uses Node.js for parts of their large-scale marketplace backend

Why JavaScript/TypeScript Ecosystems Especially Need Sustainability Awareness

- Dependencies = node\_modules
- 1.3 millions in January 2021
- 2017-2019: 700 new packages per day
- Many redundant packages:
  - 61% of the dependency functions were duplicates 1
  - 10.4% were clones of other packages <sup>2</sup>
  - 17.92% are trivial (low/no functionality/only data) <sup>3</sup>



# Meet Oaklean Measuring Energy In Your Codebase


- Open-source tool by Hitabis forJavaScript/ TypeScript - Node.js
- Profiles CPU and memory energy consumption per function or component
- Reports energy cost directly in your workflow
- Empowers developers to code with environmental awareness





# e oaklean

Demo

# How Oaklean Works Under The Hood Measuring Of CPU Time And Energy Consumption (CPU + RAM)









Collects low-level CPU and RAM energy data


#### Correlate Measurements




# How Oaklean Works Under The Hood Parsing The Source Code And Cluster Into Components




**Annotates Source Code With Cost Metrics** 



### Oaklean's Internal Model Representation




#### Visualization In VS Code




# Case Study Node Module Comparison

cpu time


#### zip-decompress




energy consumption




#### queue-throughput




#### queue - throughput with (1000000 iterations)



#### xml-parser



#### verl names and VMI with (100000 itemations)



# A Community Vision The Green Library Database

- Next step: build an open database of library footprints
- Share benchmarks: "How green is your dependency?"
- Encourage community contributions and comparisons
- In editor suggestions for "greener" dependencies
- Contribute on GitHub: tools, metrics, libraries



# Green your Code

www.oaklean.io

```
value L
                                                                                       type
                                                                        profilerHits
export class TypescriptParser {
                                                                                                           8502 µs
                                                                        CPU Time (self)
  static traverseSourceFile( Energy Consumption (self): 0.000 r
                                                                     ar CPU Time (summed up)
                                                                                                           23996 µs
                                                                        CPU Time (own code)
                                                                                                           15204 µs
  ) {
                                                                        CPU Time (libraries)
    const { enter, leave } = callback
                                                                        CPU Time (node internal)
                                                                                                           0.042 mJ
                                                                        Energy Consumption (self)
    traverseNode(sourceFile)
                                                                        Energy Consumption (summed up)
                                                                                                           0.120 mJ
    function traverseNode(node: ts.Node) { Energy Consumption
                                                                        Energy Consumption (own code)
                                                                                                           0.077 mJ
                                                                       Energy Consumption (self): 0.042 mJ (2.91%
      ts.forEachChild(node, traverseNode)
      leave(node)
                                                     CPU Time (self)
  static posToLoc(sourceFile: ts.SourceFile, pos:
    const lineAndChar = sourceFile.getLineAndChar CPU Time (summed up)
                                                                                         23996 µs
                                                      CPU Time (own code)
                                                                                         15204 µs
    return {
                                                      CPU Time (libraries)
                                                                                         290 μs
      line: lineAndChar.line + 1,
                                                      CPU Time (node internal)
      column: lineAndChar.character
                                                      Energy Consumption (self)
                                                                                         0.042 mJ
                                                                                         0.120 mJ
                                                      Energy Consumption (summed up)
                                                      Energy Consumption (own code)
                                                                                         0.077 mJ

₹ Energy Consumption (self): 0.042 mJ (2.91%)

                                  tion(node) ||
                                  (de) ||
```

Supports: Linux/Mac/Windows

**Open Source MIT License** 

# Questions & Reflections

### Sources

- Stack overflow developer survey <a href="https://survey.stackoverflow.co/2024/technology#most-popular-technologies-webframe-prof">https://survey.stackoverflow.co/2024/technology#most-popular-technologies-webframe-prof</a>
- Comparison of the usage statistics of JavaScript for websites <a href="https://w3techs.com/technologies/comparison/pl-js">https://w3techs.com/technologies/comparison/pl-js</a>
- Why Top Companies Are Using Nodejs As A Backend <u>https://enstacked.com/why-top-companies-are-using-nodejs-for-backend</u>
- Top 10 Large Companies Using Node.js for Backend <a href="https://medium.com/devmap/top-10-large-companies-using-node-js-for-backend-f32aa3e55cdd">https://medium.com/devmap/top-10-large-companies-using-node-js-for-backend-f32aa3e55cdd</a>
- "What the Fork? Finding Hidden Code Clones in npm" <a href="https://ldklab.github.io/assets/papers/icse22-shrinkwrap.pdf">https://ldklab.github.io/assets/papers/icse22-shrinkwrap.pdf</a>
- Only 39% of the functions in node\_modules are unique in the default Angular project <a href="https://habr.com/en/articles/554334/">https://habr.com/en/articles/554334/</a>
- Detecting and Characterizing Low and No Functionality Packages in the NPM Ecosystem <a href="https://arxiv.org/abs/2510.04495">https://arxiv.org/abs/2510.04495</a>